







## PRIORITY

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)



The Patent Office Concept House Cardiff Road Newport South Wales

NP10 8QQ

REC'D 1 1 DEC 2003

WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signe

Dated

28 November 2003

An Executive Agency of the Department of Trade and Industry

By: Laurence Skaw & Associates;	0121 454 4523;	10-Jan-03 18:52;	Page 2
Patents Form 1/77	Tents , Ocean		THE STREET, THE
Aus Act 1977 (Rule 16)	Pateril The Office of The Pateril The Pate	IE PATENT OFFICE	A Marian Control of States
Request for grant of a patent		1 0 JAN 2003	
See the notes on the back of this form. You can also get an	R	ECEIVED BY FAX	The Patent Off عر
explanatory leaflet from the Patent Office to help you fill it this form	in .	Wh	Newport South Wates
1. Your reference	P03872GB	10 14	NP10 BQQ N 2003
	300563.4	10JAN03 E776166- P01/7700 0.00-03	
Full name, address and postcode of the or of each applicant (underline all surnames)	47 CENTRAL A SURREY	MENTAL LIMITED VENUE	
Patents ADP number (4) you know (t)	84	89528001	
If the applicant is a corporate body, give the country/state of its incorporation	GB .		
Title of the invention	CLEANING O	F AIR	
Name of your agent (If you have one)	LAURENCE SHA	AW & ASSOCIATES	
"Address for service" in the United Kingdom to which all correspondence should be sent (Including the Justcode)	10TH FLOOR METROPOLITA	N HOUSE D, EDGBASTON	
Patents AI)P number (If you know ii)	1 <del>36230</del> 0	5673002	•-
If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (4) you know 11) the or each application number	·	Priority application number (If you Rhate II)	Date of filing (iday / month; / year)
If this application is divided or otherwise derived from an earlier IIK application, give the number and the filing dare of the earlier application	Number of cartier applica	tion .	Vate of filing (day/month/year)
is a statement of inventorship and of right to grant of a patent required in support of this request? (Answar 'Yes' If any applicant named in part 3 is not an inventor, or by there is an inventor who is not named as an applicant, or	4		
t) any named applicant is a corporate hody. See note (d))			٠

Patens Form CV77/48

10-Jan-03 18:53;

Agent's Ref. P03872GB

15

20

25

## Cleaning of Air

This application relates to the cleaning of air, in particular the cleaning of air in a 5 space in which a human or animal is restling, say lying or sitting.

It has long been known that harmful agents can be borne by air. These harmful agents may include pathogens, such as micro-organisms, for example mould, bacteria and viruses, allergens, such as pollen as well as dust and other detritus. Many solutions have been proposed to enable effective and efficient cleaning of air to remove such pollutants.

When air is re-circulated in buildings, there is a tendency for such pollutants to become concentrated in the air unless they are adequately removed. In buildings such as hospitals, schools and offices the presence of such pollutants can lead to acute and chronic illnesses and, in the worst cases, fatalities.

In hospitals, hostels or the like the problems of airbome pollutants may be even more acute as the patients may have deficient or suppressed immune systems and, thus, may be more susceptible to infection. Persons at home may also be susceptible to infection or may have particular allergies to such pollutants. Similar problems may occur in veterinarys or animal hospitals.

Several solutions have been proposed to disinfect air. One such solution is disclosed in WO-A1-01/87362. The air disinfection apparatus disclosed therein has a chamber through which air can flow and an ultraviolet light source which projects light

0057489, 10-Jan-03 (06:48)

into the chamber to kill bacteria. The apparatus comprises a filter adjacent the inlet to remove larger particulate matter. The UV light source may project into the chamber or may be located in a separate housing, the housing being separated from the chamber by a UV light transparent screen, which is fabricated from quartz or the like.

5

10

15

In our co-pending British patent application no 0224897.9 we disclose an improved apparatus for cleaning air which overcomes problems associated with the prior art. The apparatus comprises a chamber having an inlet and an outlet for passage of air therethrough, a plurality of UV light sources to irradiate the interior of the chamber, including one or more shield members about each light source to reduce deposition of air-borne detritus on the UV light source.

When attempting to maintain a 'clean air' environment in a large space, for example a hospital ward, it is necessary to have a large throughput of air through the air cleaning apparatus. Such a large throughput requires commensurately large apparatus with a plurality of relatively intense UV lights to irradiate a large volume of gas. In many instances, large apparatus may be unwieldy or unwarranted, it may not fit into the available space or it may not be economically feasible.

20

One such situation is where, for example, one patient in a ward requires clean air due to a suppressed immune system, an allergy or the like, whilst the other patients have no such requirements. In that situation, is it plainly wasteful to clean the air for the entire ward when it is only required by a single individual.

25

Accordingly, a first aspect of the invention provides apparatus for cleaning air and emitting clean air into the breathe-space of an individual, the apparatus comprising a chamber having an inlet and an outlet, at least one UV light to irradiate air flowing

through the chamber and means to direct the clean air into the breathe-space of the individual.

A second aspect of the invention provides a bed, chair or the like to support an individual comprising apparatus for cleaning air and emitting clean air into the breathespace of an individual, the apparatus comprising a chamber having an inlet and an outlet, at least one UV light to irradiate air flowing through the chamber and means to direct the clean air into the breath space of the individual.

A third aspect of the Invention provides a method of maintaining a clean air atmosphere around the breathe-space of an individual, the method comprising passing air through a chamber and irradiating the air with UV radiation, passing the so-cleaned air into a region around the individual, so at least that region around the individual from which the individual inhales is filled with clean air.

15

20

25

10

The apparatus may comprise fan means to force the air through the chamber or passed the UV light source and into the breathe-space of the individual.

The apparatus may further comprise a filter to remove airborne detritus such as dust and the like. Preferably, the apparatus comprises a coarse downstream filter to remove any relatively large airborne particles and/or an upstream HEPA or other fine filter to remove any fine or remaining particulate matter held in the airstream.

The or each UV light is preferably located in a quartz tube which is located in the flow of air, the quartz tube preventing dust and other airborne particulates from occluding the UV light source. The or each light may be located about a quartz tube, the air flowing through the tube, in use.

In a preferred embodiment, the apparatus is retained beneath a bed for a patient, clean air being emitted at the 'head' end and, in some cases, air to be cleaned being drawn in through the 'foot' end.

In order that the invention may be more fully understood, it will now be described, by way of example only and with reference to the accompanying drawings, in which:

Figure 1 is a perspective view of a bed incorporating apparatus according to the invention; and

Figure 2 is a section through apparatus according to the invention.

Referring to Figure 1, there is shown a bed 1 having a frame 2 and a mattress 3. The frame has an intended 'head' end 4 and an intended 'feet' end 5.

15

20

25

10

The frame 2 is perforated with a plurality of apertures 6 at both the head and feet ends 4, 5.

Located beneath the bed 1 is air cleaning apparatus 10, having an upstream end connected to the feet end 5 of the frame 2 by tubing 11 and a downstream end connected to the head end 4 of the frame 2 by tubing 12.

Figure 2 shows a section through the air cleaning apparatus 10, with arrow A showing the direction of air flow. The apparatus comprises a quartz tube 15 through which the air flows. Mounted outside the tube 15 are a pair of UV lights 16. A metal reflector 17 may be located around the lights to reflect radiation into the flowing air. The whole is located in a casing 18. A coarse particulate filter 21 and a HEPA filter 22 are

20

25

5

located at respective up and down-stream ends of the apparatus 10. Fan means (not shown) force the air through the apparatus 10. Fan means may be located downstream or upstream or both of the apparatus 10.

In use, air is drawn through the apparatus 10 where it is filtered and cleaned of pollutants by the UV lights 16 and filters 21, 22. The cleaned air is passed along tubing 12 and into the hollow frame 2 at the head end 4 of the bed 1. The clean air is emitted from the apertures 6 to create a clean-air shroud over at least the head end 4 of the bed such that, any patient lying in the bead will breathe air from the clean air shroud emitted from the frame and maintained at the head end of the bed 1.

Air may be drawn into the apparatus via apertures 6 in the frame at the foot end 5 of the bed 1.

In a further embodiment, air may be drawn from any location into the apparatus

10.

The or each UV light 16 may be located within a quartz sleeve which extends along or across the chamber 15. In a preferred embodiment, the apparatus 10 only comprises a single UV light.

The apparatus may be used in a bed or in a chair, for example where clean air is emitted from the chair to create a shroud of clean air about the head of any person sitting in the chair. The apparatus may be used to maintain a clean-air atmosphere about at least the head of an animal in a animal hospital or veterinary practice.

Sent By: Laurence Shaw & Associates;

0121 454 4523;

10-Jan-03 18:54;

Page 9/11

6

The apparatus 10 may have a throughput of from 20 to 80 Vs or less. The apparatus may be able to maintain a shroud of clean air of between, say, 0.25 and 4  $m^3$ .


Sent By: Laurence Shaw & Associates;

0121 454 4523;

10-Jan-03 18:54;

Page 10/11

1/2



0057489-10-Jan-03-06:48

